

DEPARTMENT OF DEFENSE

US ARMY CORPS OF ENGINEERS PROTECTIVE DESIGN CENTER 1616 Capitol Avenue, Suite 9000 OMAHA, NEBRASKA 68102-4901



DOD ANTI-RAM VEHICLE BARRIERS

List Date: January 2013

The Department of Defense's physical security concept is to create a layered or "tiered" defensive system which consists of both active and passive perimeter barriers to delay intruders. The Department employs an ASTM International performance standard and testing procedure for both active entrance barriers and passive perimeter barriers designated as "vehicle-impact rated barriers," or "anti-ram barriers." The current standard is ASTM F2656-07, Standard Test Method for Vehicle Crash Testing of Perimeter Barriers.

The ASTM F2656 -07 test standard rates barriers in twelve impact categories, with three predetermined impact velocities for each category and four potential penetration ratings for each impact rating. These penetration ratings are: P1 - < 3.3 ft; P2 - 3.31 to 23.0 ft; P3 - 23.1 to 98.4 ft; and P4 - > 98 ft. Of the four penetration ratings, barriers with a penetration rating of P4 will not be included in the DoD Anti-Ram Vehicle Barriers list.

The following list of barriers includes active barriers for use at entrances, and passive or fixed barriers for other perimeter applications. This list will be updated quarterly in January, April, July and October. A request must be received one month prior to the list being published to be included on the next quarterly list.

Note: This list supersedes all previous copies. Please refer to the date above to ensure you have the most up to date list. This list does not represent an overall endorsement of any product or design or address its operational suitability or maintainability. The list merely verifies that particular vehicle barriers have been certified in accordance with the performance standards in ASTM F2656-07, or previously tested to the U.S. Department of State SD -STD-02.01 standard, and that the appropriate test reports have been submitted to, and validated by, the Protective Design Center. Each vehicle barrier system has its own distinct characteristics that must be considered and weighed against the needs and conditions of the individual installation. Some barrier characteristics are associated with vulnerabilities. These vulnerabilities may not be readily apparent to the end users. The PDC is available to discuss barrier characteristics, and any other barrier issues or questions. A few characteristics to consider are listed below:

- <u>Impact speed at barrier (low speed impact)</u>: The use of some vehicle barriers presented in this list exhibit vulnerabilities when impacted at speeds other than those associated with the ASTM and DOS test impact velocities.
- Design Basis Threat (DBT) vehicle, other vehicle weights and speeds: The barriers presented in this list have been subjected to impacts under the specific conditions prescribed by the test designation. If the Installation's DBT includes vehicles significantly different than the test vehicle, performance of the system may differ from what may be expected.
- <u>Deployment mechanisms</u>: The mechanisms used to deploy vehicle barriers varies (pneumatic, hydraulic, electro-mechanical, manual). The various mechanisms should be investigated and the choice should be based on the best fit for the Installation.

- Environmental condition at barrier: Environmental conditions can vary greatly_ from location to location. Conditions such as rain, snow, ice, sand, gravel, hot, and cold need to be considered when selecting a barrier for a specific location.
- Operations and Maintenance (O&M) requirements: Each barrier comes with it's own operational and maintenance requirements. The O&M requirements vary in the amount and intensity from barrier to barrier. O&M needs to be figured into the overall life cycle cost of the barrier.
- After impact barrier gaps: Post impact gaps may be an inherent characteristic of the barrier system. The barrier system's post-impact condition should be carefully evaluated for it's capabilities in relation to defeat of the Installation's Design Basis Threat (DBT).

Questions regarding the certification standard, barrier characteristics or this list can be sent to the Protective Design Center or email at: pdcmail@usace.army.mil.

	Barrier Type: Active Bollard					
	Penetration Rating	n Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks		
K4	L3	RB80 Bollard	American Anti-Ram Corporation http://www.americanpsg.com/	48" OC		
K4	L2	SP Defender	ATG Access, Inc. http://www.atgaccessinc.com/	3-bollard array		
K4	L2	DSC 800 Bollard Type Barricade	Delta Scientific Corporation http://deltascientific.com/	3-bollard array		
M30	P1	K4 Shallow Mount Bollard	FAAC International, Inc. http://www.faacusa.com/	Single bollard		
M30	P1	Elkosta M30 (K4)	Perimeter Protection Germany GmbH http://www.perimeterprotection.net/	Single bollard		
K8	L3	XT-1208-RB, Xact Series Retractable Bollards - (fka-Eagle Series Bollards, K8)	Ross Security Systems LLC http://www.rosssecuritysolutions.com/	3-bollard array, hydraulic bollards		
K8	L1	ARMR B-30 Bollard Assembly	B&B ARMR http://www.bb-armr.com/	3-bollard array, hydraulic bollards		
M50	P1	SP1000 Rising Bollard	ATG Access, Inc. http://www.atgaccessinc.com/	single hydraulic bollard		
K12	L3	Gunnebo Bollard	Gunnebo Competence Centre Outdoor Perimeter Security	single hydraulic bollard		
K12	L3	SP Titan	http://www.perimeterprotection.net/ ATG Access, Inc. http://www.atgaccessinc.com/	3-bollard array		
K12	L2	XT-1200-RB, Xact Series Retractable Bollards - (fka-Eagle Series Bollards, K12)	Ross Security Systems LLC http://www.rosssecuritysolutions.com/	3-bollard array, hydraulic bollards		
K12	L2	NBI Hydraulic Bollard Barrier	Nasatka Barrier, Inc. http://www.nasatka.com/	3-bollard array		
M50	P1	HT1 Raptor	Heald Ltd http://www.heald.uk.com/	single bollard		
M50	P2	RSS4003	RSSI http://www.rssi.com/	3-bollard array		

M50 P1 M50 P2 M50 P2 K13 L1	Viper RBSM 1000 K12 Shallow Mount Bollard TITAN MKII Hydraulic Bollard B40 Retractable Bollard	Heald Ltd. http://www.heald.uk.com/ Calpipe Security Bollards http://www.calpipebollards.com/ ATG Access, Inc. http://www.atgaccessinc.com/ B&B ARMR http://www.bb-armr.com/	Single wedge shaped bollard 3-bollard array 3-bollard array, hydraulic bollards 3-bollard array, hydraulic bollards
Barrier Type: Barrier Penetrati			
Rating Rating	Barrier Model/Description	Manufacturer/Designer/Distributor American Anti Ram	Remarks
K4 L3	CRB-240 Drop Gate	http://www.americanpsg.com/	approx 11.5 foot clear opening
K4 L3	Bosik Bar VBS Shallow Foundation Barrier (SP VBB) K4	ATG Access, Inc. http://www.atgaccessinc.com/	14 foot clear opening
M30 P1	M530 12-foot Drop Arm Assembly	Apex Fabrication & Design, Inc. http://www.apexfab.com/	12 foot clear opening
K4 L2	IP500 Transportable Beam for Quick Deployment	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening, surface mounted
K4 L2	TT212EC Drop Arm Beam Barrier System	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening
M30 P2	Barrier Arm Crash Gate	Logical Decisions http://www.ldi.com/crashgates.htm	Approx 12.5 foot clear opening
M30 P1	StrongArm M30	HySecurity Gate, Inc. http://www.hysecurity.com/	12 foot clear opening
K8 L3	VPL-CB-24	Autogate, Inc http://www.autogate.com/	14.5 foot clear opening
K12 L3	VPL-CB-24	Autogate, Inc http://www.autogate.com/	14.5 foot clear opening
M50 P1	CRB-K12-2 Drop Arm Gate Barrier	American Physical Security Group, Inc. http://www.americanpsg.com/	12.9 foot clear opening
K12 L3	Bosik Bar VBS Deep Foundation Barrier (SP VBB) K12	ATG Access, Inc. http://www.atgaccessinc.com/	14.25 foot clear opening
		- · · · · · · · · · · · · · · · · · · ·	

DoD Anti-Ram Vehicle Barriers	January 2013
-------------------------------	--------------

M50 P3 Drop Arm Vehicle Barrier - KBVB	Barrier1 Systems, Inc. http://www.barrier1.us/	
K12 L3 DSC 7000 Barrier	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening
K12 L2 NMSB XII Crash Beam Barrier - 12 ft	Nasatka Barrier, Inc. http://www.nasatka.com/	12 foot clear opening
K12 L3 NMSB XII Crash Beam Barrier - 18 ft	Nasatka Barrier, Inc. http://www.nasatka.com/	18 foot clear opening
M50 P2 StrongArm M50	HySecurity Gate, Inc. http://www.hysecurity.com/	12 foot clear opening
Barrier Type: Active Gate Barrier Penetration		
Rating Rating Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
M30 P1 AR-266 - 12 ft	Heavy Duty Gate, Inc. http://heavydutygates.com/	12 foot clear opening
K4 L3 ARMR Model 730 Crash Gate	B&B ARMR http://www.bb-armr.com/	
K4 L2 ARMR Model 400 Sliding Gate	B&B ARMR http://www.bb-armr.com/	12 foot clear opening
K12 L3 CG12 Gate	American Anti Ram http://www.americanpsg.com/	12 foot clear opening
M50 P1 DSC 288	Delta Scientific Corporation http://deltascientific.com/	20 foot clear opening
K12 L3 DSC 7500 Barrier	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening
M50 P2 Cable Restraint Barrier - 50 ft	Gibraltar Cable Barrier Systems, L.P. http://www.gibraltarmaterials.com/	50 foot clear opening
K12 L3 Cable Crash Gate	Gibraltar Cable Barrier Systems, L.P. http://www.gibraltarmaterials.com/	24 foot clear opening
M50 P1 AR 466 Anti-Ram Vehicle Barrier - 16.5 ft	Morrison Equipment http://www.morrisonequipment.com/	16.5 foot clear opening
M50 P1 SR 466 Anti-Ram Vehicle Barrier	Morrison Equipment	

K12 L3	AR 446 Anti-Ram Vehicle Barrier - 40 ft	Morrison Equipment http://www.morrisonequipment.com/	40 foot clear opening
M50 P2	K12 Cable Restraint Barrier - 50 ft	NEU Security Systems http://www.neusecurity.com/	50 foot clear opening
M50 P1	K12 Cable Restraint Barrier - 24 ft	NEU Security Systems http://www.neusecurity.com/	24 foot clear opening
K12 L3	Modified Interlocking Finger Gate	Logical Decisions http://www.ldi.com/crashgates.htm	V shape, 13 foot clear opening
K12 L1	ARMR Model 450 Anti-Climb High Security Vehicle Access Control Cantilever Gate System	B&B ARMR http://www.bb-armr.com/	12 foot clear opening
Barrier Type:			
Barrier Penetration Rating Rating	n Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
M50 P2	30' Retractable Net Vehicle Barrier System	Barrier1 Systems, Inc. http://www.barrier1.us/	30 foot clear between stanchions - interpolation with 90 foot barrier is acceptable
M50 P3	90' Retractable Net Vehicle Barrier System	Barrier1 Systems, Inc. http://www.barrier1.us/	90 foot clear between stanchions - interpolation with 30 foot barrier is acceptable
M50 P2	Retractable Cable Net Vehicle Barrier System - 20 ft	Barrier1 Systems, Inc. http://www.barrier1.us/	19' 9.5" clear opening between stanchions - interpolation with 52' 5" barrier is acceptable
M50 P2	Retractable Cable Net Vehicle Barrier System - 52.5 ft	Barrier1 Systems, Inc. http://www.barrier1.us/	52' 5" clear opening between stanchions - interpolation with 19' 9.5" barrier is acceptable
M50 P3	Modified Vehicle Arresting System (VAS)	Engineered Arresting Systems Corporation http://www.esco.zodiacaerospace.com/ Smith & Wesson Security	24 foot tested width
M40 P1	GRAB-400 - 12 ft	Solutions (fka Universal Safety Response) https://www.smith-wessonsecuritysolutions.com/	12 foot clear opening - interpolation with 60 foot barrier is acceptable

DoD Ant	January 2013		
M40 P2	GRAB-400 - 60 ft	Smith & Wesson Security Solutions (fka Universal Safety Response) https://www.smith-wessonsecuritysolutions.com/	60 foot clear opening - interpolation with 12 foot barrier is acceptable
M50 P2	GRAB-300 - 14 ft	Smith & Wesson Security Solutions (fka Universal Safety Response) https://www.smith-wessonsecuritysolutions.com/	14 foot net width - interpolation with 62 foot barrier is acceptable
M50 P2	GRAB-300 - 62 ft	Smith & Wesson Security Solutions (fka Universal Safety Response) https://www.smith-wessonsecuritysolutions.com/	62 foot net width - interpolation with 14 foot barrier is acceptable
Barrier Type	Exactive Post and Beam		
Barrier Penet Rating Rating		Manufacturer/Designer/Distributor	Remarks
K12 L2	Barrier Lift System - K12	Gunnebo Competence Centre Outdoor Perimeter Security	10 m width
K12 L3	SP Patriot	http://www.perimeterprotection.net/ ATG Access, Inc. http://www.atgaccessinc.com/	12 foot clear opening
Barrier Type	: Active Wedge		
Barrier Penet Rating Rating	ration	Manufacturer/Designer/Distributor	Remarks
M40 P3	DSC 1000 Barrier	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening, portable wedge
K4 L1	MP5000 Mobile Barrier	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening, portable wedge
K4 L2	DSC 1100 Quick Beam Deployment Barrier System	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening, surface mounted
K4 L3	DSC 1200 Barrier	Delta Scientific Corporation http://deltascientific.com/	12 foot clear opening
K4 L2	XS-2000-PW, Xpress Series Portable Wedge Barrier - (fka-Osprey Series Portable Wedge)	Ross Security Systems LLC http://www.rosssecuritysolutions.com/	12 foot clear opening, portable wedge

Portable Wedge)

K4	L1	ARMR Model 850 Portable/Towable Barrier	B&B ARMR http://www.bb-armr.com/	Portable wedge
M30	P3	MNSB XV Mobile Barrier	Nasatka Barrier, Inc. http://www.nasatka.com/	12 foot clear opening, mobile wedge
M40	P3	MP5000 Mobile Barrier - 20 feet	Delta Scientific Corporation http://deltascientific.com/	20 foot clear opening, mobile wedge
M40	Р3	MNSB XVI Mobile Barrier	Nasatka Barrier, Inc. http://www.nasatka.com/	16 foot clear opening, mobile wedge
M40	P3	NMSB XVX 20 ft Clear Opening Barrier	http://www.nasatka.com/	20 foot clear opening, mobile wedge
K12	L3	Shallow Mount Wedge Model SW12	American Anti Ram http://www.americanpsg.com/	8 foot plate
K12	L3	Model DSC501 - Phalanx Type Barricade htt	Delta Scientific Corporation p://deltascientific.com/	9 foot wide plate
M50	P1	DSC 207S	Delta Scientific Corporation http://deltascientific.com/	9 foot wide plate
K12	L3	DSC 2000 Barrier	Delta Scientific Corporation http://deltascientific.com/	3 - 2 foot wedges with 18 inch spacing
K12	L3	XT-1000-W, Xact Series Wedge Barrier - (fka-Eagle Series Wedge Barrier)	Ross Security Systems LLC http://www.rosssecuritysolutions.com/	9 foot wide plate
M50	P1	NSMB-IIID-E - 8 ft	Nasatka Barrier, Inc. http://www.nasatka.com/	8 foot plate
K12	L3	MSB II Barrier	Nasatka Barrier, Inc. http://www.nasatka.com/	12 foot clear opening
M50	P1	SHF3614S	SecureUSA, Inc. http://secureusa.net/	14 foot wide plate
K12	L3	SP Sentinel	ATG Access, Inc. http://www.atgaccessinc.com/	8 foot plate
M50	P1	RSS-2000VI	RSSI http://www.rssi.com/	6 post configuration - interpolation with 4 post configuration is acceptable, 5 post configuration acceptable
K12	L3	ARMR Shallow Mount Plate Barrier Model 820	B&B ARMR http://www.bb-armr.com/	9 foot tested width

K12 L3	RSS-2000	RSSI http://www.rssi.com/	4 post configuration - interpolation with 6 post configuration is acceptable, 5 post configuration acceptable	
M50 P1	9 ft Wedge Barrier	Smith & Wesson Security Solutions (fka Universal Safety Response) https://www.smith-wessonsecuritysolutions.com/	9 foot tested width	
M50 P1	HT1 Viper	Heald Ltd. http://www.heald.uk.com/	3 m tested width (~10 ft)	
M50 P1	Model III D-E 10' Barrier System	Nasatka Barrier, Inc. http://www.nasatka.com/	10 foot tested width	
M50 P1	Model III D-E 11' Barrier System	Nasatka Barrier, Inc. http://www.nasatka.com/	11 foot tested width	
M50 P1	Model III D-E 12' Barrier System	Nasatka Barrier, Inc. http://www.nasatka.com/	12 foot tested width	
M50 P1	Model III D-E 14' Barrier System	Nasatka Barrier, Inc. http://www.nasatka.com/	14 foot tested width	
M50 P1	16-ft Wedge System	Smith & Wesson Security Solutions (fka Universal Safety Response) https://www.smith-wessonsecuritysolutions.com/	16 foot tested width	
M50 P1	Road Blocker Model GBRH50 Wedge Barrier	Guardian Industries Co. http://www.guardianind.com/	10' 1" tested width	
Barrier Type: Barrier Penetrati	Active Cable			
Rating Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks	
M40 P2	RSSI Cable Trap System	RSSI http://www.rssi.com/	4 - 1" diameter cables, 100' tested total length	
Barrier Type: Barrier Penetrati	Passive Bollard			
Rating Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks	
PU50 P2	DSC 650 Shallow Foundation Bollard Array	Delta Scientific Corporation http://deltascientific.com/	2-bollard array	

January 2013 **DoD Anti-Ram Vehicle Barriers**

K4 L3	SP1000 Static Shallow Mount Barrier	ATG Access, Inc. http://www.atgaccessinc.com/	3-bollard array
M30 P1	M30 Shallow Foundation Modular Bollard System	Barrier1 Systems, Inc. http://www.barrier1.us/	3-bollard array
M30 P1	Set and Pour Bollard	Barrier1 Systems, Inc. http://www.barrier1.us/	Single bollard
M30 P2	8" SM Removable K4 Shallow Mount Bollard	Calpipe Security Bollards http://www.calpipebollards.com/	3-bollard array
M40 P1	M40 Shallow Foundation Modular Bollard System	Barrier1 Systems, Inc. http://www.barrier1.us/	3-bollard array
M50 P3	FB-K12 Fixed Bollard System	American Physical Security Group, Inc. http://www.americanpsg.com/	
M50 P2	Single Bollard Vehicle Barrier System	Barrier1 Systems, Inc. http://www.barrier1.us/	single bollard
K12 L2	DSC 600 Shallow Frame Bollard Array	Delta Scientific Corporation http://deltascientific.com/	2-bollard array
M50 P3	M50 Shallow Foundation Bollard - 40	Gibraltar Cable Barrier Systems, L.P. http://www.gibraltarmaterials.com/	3-bollard array
M50 P1	M50 Shallow Foundation Bollard	Gibraltar Cable Barrier Systems, L.P. http://www.gibraltarmaterials.com/	3-bollard array
K12 L3	Model 6 Bollards - 4-bank	Nasatka Barrier, Inc. http://www.nasatka.com/	4-bollard array, shallow mount
Barrier Typ Barrier Pene			
Rating Ratin		Manufacturer/Designer/Distributor	Remarks
M30 P1	High Performance Post, Rail, and	Ameristar Perimeter Security Systems	3 - 1" diameter cables, 72' tested length
MISU FI	Structural Stand System - 73 ft (1" cable)	http://www.ameristarfence.com/	(post to post)
M40 D2	Cohla Tron System	RSSI	4 - 1" diameter cables, 96' tested
M40 P2	Cable Trap System	http://www.rssi.com/	length (end post to end post)
	High Performance Post, Rail, and	Ameristar Perimeter Security Systems	3 - 1.25" diameter cables, 72' tested length
M40 P2	Structural Stand System - 73 ft (1.25" cable)	http://www.ameristarfence.com/	(post to post)
M50 D2	M50 P2 Cable Crash Fence	NEU Security Systems	3 strand cable barrier
M50 P2	MJU F2 Caule Crash Fence	http://www.neusecurity.com/	5 Strand capic partier
			Page 9 of 11

M50	P2	M50 P2 Cable Crash Fence	Gibraltar Cable Barrier Systems, L.P. http://www.gibraltarmaterials.com/	tested length - 600 foot, end post to end post
M50	P1	M50/P1 Cable Barrier System	Ameristar Perimeter Security Systems http://www.ameristarfence.com/	3 - 1.5" diameter cables, 40' tested length (post to post)
M50	P2	High Performance Post, Rail, and Structural Stand System (1.5" cable)	Ameristar Perimeter Security Systems http://www.ameristarfence.com/	3 - 1.5" diameter cables, 56' tested length (post to post)
M50	Р3	High Performance Post, Rail, and Structural Stand System - 41 ft (1.25" cable)	Ameristar Perimeter Security Systems http://www.ameristarfence.com/	3 - 1.25" diameter cables, 40' tested length (post to post)
M50	P2	M50 Post and Cable System	Smith & Wesson Security Solutions (fka Universal Safety Response) https://www.smith-wessonsecuritysolutions.com/	tested length - 50 foot, center of end post to center of end post
	er Type: Penetration	Passive Fence		
Rating	Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks
170		Darimeter Security Hance with One Inch	Americtar Perimeter Security Systems	
K8	L1	Perimeter Security Fence with One-Inch	Ameristar Perimeter Security Systems	
K8	L1	Cable and Diagonal	http://www.ameristarfence.com/	
K8	L1 L2	Cable and Diagonal Perimeter Security Fence with 1 in Cable	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems	
		Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/	
		Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/ Ameristar Perimeter Security Systems	2 - 1" diameter cables, 162 foot
K8	L2	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/	tested length
K8	L2	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/ Ameristar Perimeter Security Systems	tested length 2 - 1" diameter cables, 162 foot
K8 K8	L2 L2	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch Cable and Bollard Anchorage	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/	tested length
K8 K8	L2 L2 L2	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch Cable and Bollard Anchorage Ameristar High Performance Post, Rail,	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems	tested length 2 - 1" diameter cables, 162 foot
K8 K8 K8	L2 L2 L2	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch Cable and Bollard Anchorage	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/	tested length 2 - 1" diameter cables, 162 foot tested length
K8 K8 K8	L2 L2 L2 P1	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch Cable and Bollard Anchorage Ameristar High Performance Post, Rail,	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems	tested length 2 - 1" diameter cables, 162 foot tested length
K8 K8 K8 M50 K12	L2 L2 L2 P1 L3	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch Cable and Bollard Anchorage Ameristar High Performance Post, Rail, and Structural Strand System Impasse Security Fencing	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/	tested length 2 - 1" diameter cables, 162 foot tested length
K8 K8 K8 M50	L2 L2 L2 P1 L3	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch Cable and Bollard Anchorage Ameristar High Performance Post, Rail, and Structural Strand System	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems	tested length 2 - 1" diameter cables, 162 foot tested length
K8 K8 K8 M50 K12	L2 L2 L2 P1 L3 L2	Cable and Diagonal Perimeter Security Fence with 1 in Cable and Bollard Anchorage Ameristar Impasse Perimeter Security Fence Perimeter Security Fence with One-Inch Cable and Bollard Anchorage Ameristar High Performance Post, Rail, and Structural Strand System Impasse Security Fencing	http://www.ameristarfence.com/ Ameristar Perimeter Security Systems http://www.ameristarfence.com/	tested length 2 - 1" diameter cables, 162 foot tested length

Barrier Type: Passive Inertial Barrier Penetration					
Rating Rating	Barrier Model/Description	Manufacturer/Designer/Distributor	Remarks		
1710 10	RDRW Mk. 4	Geocell Systems Inc.			
K12 L3		http://www.geocellsystems.com/	Earth filled barrier		
1710 10	Expeditionary Earth Filled Barrier	DefenCell			
K12 L3		http://www.defencell.com/	Earth filled barrier		